

SPRAY HEADS, NOZZLES AND MONITORS



Rear Spray Bar Kit

Kit Includes: 2-Air Operated Spray Heads, 2-Air Switches, 2-Grooved Clamps, 2-Grooved Nipples, 2-Elbows, Spray Bar with drain valve, 1/4" Air Line, Air Line Fittings, 2-Bumper Mounts



Front Spray Bar Kit

Kit Includes: 2-Front Spray Head Valves, 2-Spray Nozzles, 6-Grooved Clamps, 2-Grooved Elbows, Spray Bar with grooved ends, 2-Air Switches, 1/4" Air Line, Air Line Fittings, Bumper Mounts



Spray Bar Assembly
With Folding Booms

Call for size and nozzle options



Air Operated Spray Head

- 3" Grooved Base
- Adjustable Spray Pattern
- Quick Exhaust Air Line Fitting Included



Electric Operated Spray Head

- 12 or 24 Volt DC
- 3" Grooved Base
- Adjustable Spray Pattern



Air Operated Spray Head Valve

- 3" Grooved Base
- 3" Grooved Outlet
- Use With Nozzles Shown Below



Spray Nozzle

- 3" Grooved Base
- 3/32" Fan Shaped Outlet Slot



Spray Nozzle

- 3" Grooved Base
- 1/4" Fan Shaped Outlet Slot



Side Spray Nozzle

- 3" Grooved Base
- 1/4" Outlet Slot



Angled Spray Nozzle

- 3" Grooved Base
- 1/4" Outlet Slot



Bolt-On Spray Nozzle

- Fits Standard Spray Head
- Provides Focused Spray Pattern



Manual Spray Head

- 3" Grooved Base
- Adjustable Spray Pattern



Spray Head Repair Kit



Spray Head Valve Repair Kit



We stock grooved victaulic fittings.



Air Operated Monitor Kit

Kit Includes: air operated monitor, adjustable nozzle, in cab controls, air line and fittings.



Electric Operated Monitor

- 12 and 24 Volt DC kits available
- Manual or remote nozzles available
- Most kits have joystick controls



Manual Monitor

- Adjustable or Manual Nozzle Available
- 3" Flanged Inlet
- 1-1/2" NST Outlet



Brass Fire Nozzle

- 2-1/2" NST Inlet



Adjustable Monitor Nozzle

- 2-1/2" NST Inlet
- Adjusts from spray to stream



Fire Hose Nozzle

- 1-1/2" Thread – NST or NPT
- Twist to adjust from fog to stream



Fire Hose Adapters

Many sizes and styles available



Fire Hose

- 1-1/2" and 2-1/2" available
- 25' and 50' standard lengths
- Cut to length also available
- Cam-lock ends available